Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.9%	.0%	.7%
	5-12	Count	0	1	1
		% within Sex	.0%	1.5%	.3%
	13-19	Count	3	5	8
		% within Sex	1.3%	7.4%	2.7%
	20-24	Count	30	7	37
		% within Sex	13.3%	10.3%	12.6%
	25-29	Count	40	13	53
		% within Sex	17.7%	19.1%	18.0%
	30-34	Count	47	5	52
		% within Sex	20.8%	7.4%	17.7%
	35-39	Count	41	13	54
		% within Sex	18.1%	19.1%	18.4%
	40-44	Count	27	10	37
		% within Sex	11.9%	14.7%	12.6%
	45-49	Count	16	8	24
		% within Sex	7.1%	11.8%	8.2%
	50-54	Count	8	4	12
		% within Sex	3.5%	5.9%	4.1%
	55-59	Count	7	1	8
		% within Sex	3.1%	1.5%	2.7%
	60-64	Count	2	1	3
		% within Sex	.9%	1.5%	1.0%
	65-69	Count	2	0	2
		% within Sex	.9%	.0%	.7%
	70+	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	226	68	294
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	103	22	125
		% within Sex	45.6%	32.4%	42.5%
	African American	Count	73	39	112
		% within Sex	32.3%	57.4%	38.1%
	Hispanic	Count	44	7	51
		% within Sex	19.5%	10.3%	17.3%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.9%	.0%	.7%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.9%	.0%	.7%
	Not Specified	Count	2	0	2
		% within Sex	.9%	.0%	.7%
Total	_	Count	226	68	294
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	140	0	140
Exposure		% within Sex	61.9%	.0%	47.6%
	IDU	Count	12	12	24
		% within Sex	5.3%	17.6%	8.2%
	M-M & IDU	Count	10	0	10
		% within Sex	4.4%	.0%	3.4%
	Heterosexual Contact	Count	15	33	48
		% within Sex	6.6%	48.5%	16.3%
	Transfusion	Count	0	1	1
		% within Sex	.0%	1.5%	.3%
	Not Classified	Count	47	21	68
		% within Sex	20.8%	30.9%	23.1%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.9%	1.5%	1.0%
Total		Count	226	68	294
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	124	125
		% within Adult-Ped	33.3%	42.6%	42.5%
	African American	Count	1	111	112
		% within Adult-Ped	33.3%	38.1%	38.1%
	Hispanic	Count	1	50	51
		% within Adult-Ped	33.3%	17.2%	17.3%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.7%	.7%
	Am Indian-Alaskan	Count	0	2	2
		% within Adult-Ped	.0%	.7%	.7%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.7%	.7%
Total		Count	3	291	294
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	1	2
Diagnosis		% within Sex	.3%	1.3%	.5%
	13-19	Count	9	7	16
		% within Sex	2.6%	8.9%	3.7%
	20-24	Count	31	8	39
		% within Sex	8.8%	10.1%	9.1%
	25-29	Count	52	10	62
		% within Sex	14.8%	12.7%	14.4%
	30-34	Count	82	12	94
		% within Sex	23.4%	15.2%	21.9%
	35-39	Count	68	17	85
		% within Sex	19.4%	21.5%	19.8%
	40-44	Count	57	9	66
		% within Sex	16.2%	11.4%	15.3%
	45-49	Count	29	6	35
		% within Sex	8.3%	7.6%	8.1%
	50-54	Count	12	4	16
		% within Sex	3.4%	5.1%	3.7%
	55-59	Count	6	2	8
		% within Sex	1.7%	2.5%	1.9%
	60-64	Count	3	2	5
		% within Sex	.9%	2.5%	1.2%
	65-69	Count	1	1	2
		% within Sex	.3%	1.3%	.5%
Total		Count	351	79	430
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Sex			
			Male	Female	Total	
Race-Ethnicity	White Non-Hispanic	Count	200	19	219	
		% within Sex	57.0%	24.1%	50.9%	
	African American	Count	80	46	126	
		% within Sex	22.8%	58.2%	29.3%	
	Hispanic	Count	70	14	84	
		% within Sex	19.9%	17.7%	19.5%	
	Am Indian-Alaskan	Count	1	0	1	
		% within Sex	.3%	.0%	.2%	
Total		Count	351	79	430	
		% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	227	0	227
Exposure		% within Sex	64.7%	.0%	52.8%
	IDU	Count	26	18	44
		% within Sex	7.4%	22.8%	10.2%
	M-M & IDU	Count	34	0	34
		% within Sex	9.7%	.0%	7.9%
	Heterosexual Contact	Count	16	36	52
		% within Sex	4.6%	45.6%	12.1%
	Transfusion	Count	3	1	4
		% within Sex	.9%	1.3%	.9%
	Not Classified	Count	44	23	67
		% within Sex	12.5%	29.1%	15.6%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.3%	1.3%	.5%
Total		Count	351	79	430
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Adı	Adult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	n ediatric	219	219
Nace-Limiting	writte Mori-Filspariic		ı	_	_
		% within Adult-Ped	.0%	51.2%	50.9%
	African American	Count	1	125	126
		% within Adult-Ped	50.0%	29.2%	29.3%
	Hispanic	Count	1	83	84
		% within Adult-Ped	50.0%	19.4%	19.5%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	2	428	430
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	9	5	14
Diagnosis		% within Sex	.7%	1.4%	.9%
	1 (12-23 mo)	Count	0	4	4
		% within Sex	.0%	1.1%	.3%
	2-4	Count	4	0	4
		% within Sex	.3%	.0%	.3%
	5-12	Count	3	2	5
		% within Sex	.2%	.5%	.3%
	13-19	Count	22	37	59
		% within Sex	1.8%	10.1%	3.8%
	20-24	Count	127	54	181
		% within Sex	10.6%	14.8%	11.5%
	25-29	Count	200	62	262
		% within Sex	16.6%	17.0%	16.7%
	30-34	Count	277	53	330
		% within Sex	23.0%	14.5%	21.0%
	35-39	Count	231	54	285
		% within Sex	19.2%	14.8%	18.2%
	40-44	Count	156	38	194
		% within Sex	13.0%	10.4%	12.4%
	45-49	Count	92	25	117
		% within Sex	7.6%	6.8%	7.5%
	50-54	Count	48	17	65
		% within Sex	4.0%	4.7%	4.1%
	55-59	Count	18	5	23
		% within Sex	1.5%	1.4%	1.5%
	60-64	Count	8	6	14
		% within Sex	.7%	1.6%	.9%
	65-69	Count	6	3	9
		% within Sex	.5%	.8%	.6%
	70+	Count	2	0	2
		% within Sex	.2%	.0%	.1%
Total		Count	1203	365	1568
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	629	104	733
		% within Sex	52.3%	28.5%	46.7%
	African American	Count	330	200	530
		% within Sex	27.4%	54.8%	33.8%
	Hispanic	Count	228	60	288
		% within Sex	19.0%	16.4%	18.4%
	Asian-Pacific Islander	Count	6	1	7
		% within Sex	.5%	.3%	.4%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.6%	.0%	.4%
	Not Specified	Count	3	0	3
		% within Sex	.2%	.0%	.2%
Total		Count	1203	365	1568
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	716	0	716
Exposure		% within Sex	59.5%	.0%	45.7%
	IDU	Count	91	69	160
		% within Sex	7.6%	18.9%	10.2%
	M-M & IDU	Count	100	0	100
		% within Sex	8.3%	.0%	6.4%
	Hemophiliac	Count	1	1	2
		% within Sex	.1%	.3%	.1%
	Heterosexual Contact	Count	59	162	221
		% within Sex	4.9%	44.4%	14.1%
	Transfusion	Count	4	7	11
		% within Sex	.3%	1.9%	.7%
	Not Classified	Count	216	115	331
		% within Sex	18.0%	31.5%	21.1%
	Ped Parent at Risk	Count	14	10	24
		% within Sex	1.2%	2.7%	1.5%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.2%	.3%	.2%
Total		Count	1203	365	1568
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	10	723	733
		% within Adult-Ped	37.0%	46.9%	46.7%
	African American	Count	12	518	530
		% within Adult-Ped	44.4%	33.6%	33.8%
	Hispanic	Count	5	283	288
		% within Adult-Ped	18.5%	18.4%	18.4%
	Asian-Pacific Islander	Count	0	7	7
		% within Adult-Ped	.0%	.5%	.4%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.5%	.4%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	27	1541	1568
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	9	5	14
Diagnosis		% within Sex	.8%	1.4%	.9%
	1 (12-23 mo)	Count	0	4	4
		% within Sex	.0%	1.1%	.3%
	2-4	Count	4	0	4
		% within Sex	.3%	.0%	.3%
	5-12	Count	3	2	5
		% within Sex	.3%	.6%	.3%
	13-19	Count	22	37	59
		% within Sex	1.9%	10.3%	3.8%
	20-24	Count	125	54	179
		% within Sex	10.6%	15.0%	11.6%
	25-29	Count	199	62	261
		% within Sex	16.9%	17.2%	16.9%
	30-34	Count	275	52	327
		% within Sex	23.3%	14.4%	21.2%
	35-39	Count	229	53	282
		% within Sex	19.4%	14.7%	18.3%
	40-44	Count	151	37	188
		% within Sex	12.8%	10.3%	12.2%
	45-49	Count	87	24	111
		% within Sex	7.4%	6.7%	7.2%
	50-54	Count	45	17	62
		% within Sex	3.8%	4.7%	4.0%
	55-59	Count	17	4	21
		% within Sex	1.4%	1.1%	1.4%
	60-64	Count	8	6	14
		% within Sex	.7%	1.7%	.9%
	65-69	Count	4	3	7
		% within Sex	.3%	.8%	.5%
	70+	Count	2	0	2
		% within Sex	.2%	.0%	.1%
Total		Count	1180	360	1540
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	1	1	2
Age		% within Sex	.1%	.3%	.1%
	2-4	Count	2	2	4
		% within Sex	.2%	.6%	.3%
	5-12	Count	8	6	14
		% within Sex	.7%	1.7%	.9%
	13-19	Count	7	10	17
		% within Sex	.6%	2.8%	1.1%
	20-24	Count	68	34	102
		% within Sex	5.8%	9.4%	6.6%
	25-29	Count	126	61	187
		% within Sex	10.7%	16.9%	12.1%
	30-34	Count	218	62	280
		% within Sex	18.5%	17.2%	18.2%
	35-39	Count	258	47	305
		% within Sex	21.9%	13.1%	19.8%
	40-44	Count	206	55	261
		% within Sex	17.5%	15.3%	16.9%
	45-49	Count	154	38	192
		% within Sex	13.1%	10.6%	12.5%
	50-54	Count	74	22	96
		% within Sex	6.3%	6.1%	6.2%
	55-59	Count	33	10	43
		% within Sex	2.8%	2.8%	2.8%
	60-64	Count	16	8	24
		% within Sex	1.4%	2.2%	1.6%
	65-69	Count	4	4	8
		% within Sex	.3%	1.1%	.5%
	70+	Count	4	0	4
		% within Sex	.3%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	1180	360	1540
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	624	103	727
		% within Sex	52.9%	28.6%	47.2%
	African American	Count	315	196	511
		% within Sex	26.7%	54.4%	33.2%
	Hispanic	Count	225	60	285
		% within Sex	19.1%	16.7%	18.5%
	Asian-Pacific Islander	Count	6	1	7
		% within Sex	.5%	.3%	.5%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.6%	.0%	.5%
	Not Specified	Count	3	0	3
		% within Sex	.3%	.0%	.2%
Total	<u> </u>	Count	1180	360	1540
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	706	0	706
Exposure		% within Sex	59.8%	.0%	45.8%
	IDU	Count	87	67	154
		% within Sex	7.4%	18.6%	10.0%
	M-M & IDU	Count	100	0	100
		% within Sex	8.5%	.0%	6.5%
	Hemophiliac	Count	1	1	2
	•	% within Sex	.1%	.3%	.1%
	Heterosexual Contact	Count	59	159	218
		% within Sex	5.0%	44.2%	14.2%
	Transfusion	Count	4	7	11
		% within Sex	.3%	1.9%	.7%
	Not Classified	Count	207	115	322
		% within Sex	17.5%	31.9%	20.9%
	Ped Parent at Risk	Count	14	10	24
		% within Sex	1.2%	2.8%	1.6%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.2%	.3%	.2%
Total		Count	1180	360	1540
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	10	717	727
	·	% within Adult-Ped	37.0%	47.4%	47.2%
	African American	Count	12	499	511
		% within Adult-Ped	44.4%	33.0%	33.2%
	Hispanic	Count	5	280	285
		% within Adult-Ped	18.5%	18.5%	18.5%
	Asian-Pacific Islander	Count	0	7	7
		% within Adult-Ped	.0%	.5%	.5%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.5%	.5%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.2%	.2%
Total	_	Count	27	1513	1540
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	2-4	Count	1	0	1
Diagnosis		% within Sex	.5%	.0%	.4%
	13-19	Count	1	1	2
		% within Sex	.5%	1.7%	.8%
	20-24	Count	7	3	10
		% within Sex	3.7%	5.0%	4.0%
	25-29	Count	16	12	28
		% within Sex	8.5%	20.0%	11.3%
	30-34	Count	27	8	35
		% within Sex	14.4%	13.3%	14.1%
	35-39	Count	44	18	62
		% within Sex	23.4%	30.0%	25.0%
	40-44	Count	40	7	47
		% within Sex	21.3%	11.7%	19.0%
	45-49	Count	28	7	35
		% within Sex	14.9%	11.7%	14.1%
	50-54	Count	9	1	10
		% within Sex	4.8%	1.7%	4.0%
	55-59	Count	10	3	13
		% within Sex	5.3%	5.0%	5.2%
	60-64	Count	4	0	4
		% within Sex	2.1%	.0%	1.6%
	65-69	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	188	60	248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Sex			
			Male	Female	Total	
Race-Ethnicity	White Non-Hispanic	Count	74	13	87	
		% within Sex	39.4%	21.7%	35.1%	
	African American	Count	58	38	96	
		% within Sex	30.9%	63.3%	38.7%	
	Hispanic	Count	54	9	63	
		% within Sex	28.7%	15.0%	25.4%	
	Asian-Pacific Islander	Count	2	0	2	
		% within Sex	1.1%	.0%	.8%	
Total		Count	188	60	248	
		% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	110	0	110
Exposure		% within Sex	58.5%	.0%	44.4%
	IDU	Count	10	10	20
		% within Sex	5.3%	16.7%	8.1%
	M-M & IDU	Count	10	0	10
		% within Sex	5.3%	.0%	4.0%
	Hemophiliac	Count	0	1	1
		% within Sex	.0%	1.7%	.4%
	Heterosexual Contact	Count	15	22	37
		% within Sex	8.0%	36.7%	14.9%
	Transfusion	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Classified	Count	41	27	68
		% within Sex	21.8%	45.0%	27.4%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	188	60	248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	87	87
		% within Adult-Ped	.0%	35.2%	35.1%
	African American	Count	0	96	96
		% within Adult-Ped	.0%	38.9%	38.7%
	Hispanic	Count	1	62	63
		% within Adult-Ped	100.0%	25.1%	25.4%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.8%	.8%
Total		Count	1	247	248
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	1.7%	.4%
	13-19	Count	2	1	3
		% within Sex	1.0%	1.7%	1.1%
	20-24	Count	5	3	8
		% within Sex	2.4%	5.1%	3.0%
	25-29	Count	31	7	38
		% within Sex	14.8%	11.9%	14.2%
	30-34	Count	37	11	48
		% within Sex	17.7%	18.6%	17.9%
	35-39	Count	48	16	64
		% within Sex	23.0%	27.1%	23.9%
	40-44	Count	31	10	41
		% within Sex	14.8%	16.9%	15.3%
	45-49	Count	29	4	33
		% within Sex	13.9%	6.8%	12.3%
	50-54	Count	15	3	18
		% within Sex	7.2%	5.1%	6.7%
	55-59	Count	6	2	8
		% within Sex	2.9%	3.4%	3.0%
	60-64	Count	2	1	3
		% within Sex	1.0%	1.7%	1.1%
	65-69	Count	2	0	2
		% within Sex	1.0%	.0%	.7%
	70+	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	209	59	268
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	100	13	113
		% within Sex	47.8%	22.0%	42.2%
	African American	Count	60	33	93
		% within Sex	28.7%	55.9%	34.7%
	Hispanic	Count	48	13	61
		% within Sex	23.0%	22.0%	22.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	209	59	268
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	115	0	115
Exposure		% within Sex	55.0%	.0%	42.9%
	IDU	Count	27	16	43
		% within Sex	12.9%	27.1%	16.0%
	M-M & IDU	Count	18	0	18
		% within Sex	8.6%	.0%	6.7%
	Heterosexual Contact	Count	14	26	40
		% within Sex	6.7%	44.1%	14.9%
	Transfusion	Count	1	2	3
		% within Sex	.5%	3.4%	1.1%
	Not Classified	Count	34	14	48
		% within Sex	16.3%	23.7%	17.9%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	1.7%	.4%
Total		Count	209	59	268
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Doog Ethnicity	White Non-Hispanic	Count			
Race-Ethnicity	white Non-Hispanic	Count	0	113	113
		% within Adult-Ped	.0%	42.3%	42.2%
	African American	Count	1	92	93
		% within Adult-Ped	100.0%	34.5%	34.7%
	Hispanic	Count	0	61	61
		% within Adult-Ped	.0%	22.8%	22.8%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.4%	.4%
Total		Count	1	267	268
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	10	13	23
Diagnosis		% within Sex	.2%	1.5%	.4%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.5%	.1%
	2-4	Count	4	4	8
		% within Sex	.1%	.5%	.1%
	5-12	Count	1	4	5
		% within Sex	.0%	.5%	.1%
	13-19	Count	18	23	41
		% within Sex	.4%	2.7%	.7%
	20-24	Count	210	69	279
		% within Sex	4.3%	8.0%	4.8%
	25-29	Count	770	150	920
		% within Sex	15.7%	17.3%	15.9%
	30-34	Count	1209	175	1384
		% within Sex	24.6%	20.2%	23.9%
	35-39	Count	1137	184	1321
		% within Sex	23.1%	21.2%	22.9%
	40-44	Count	739	108	847
		% within Sex	15.0%	12.5%	14.7%
	45-49	Count	434	56	490
		% within Sex	8.8%	6.5%	8.5%
	50-54	Count	183	35	218
		% within Sex	3.7%	4.0%	3.8%
	55-59	Count	97	24	121
		% within Sex	2.0%	2.8%	2.1%
	60-64	Count	59	8	67
		% within Sex	1.2%	.9%	1.2%
	65-69	Count	26	4	30
		% within Sex	.5%	.5%	.5%
	70+	Count	16	6	22
		% within Sex	.3%	.7%	.4%
Total		Count	4914	867	5781
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2791	266	3057
		% within Sex	56.8%	30.7%	52.9%
	African American	Count	1196	474	1670
		% within Sex	24.3%	54.7%	28.9%
	Hispanic	Count	905	123	1028
		% within Sex	18.4%	14.2%	17.8%
	Asian-Pacific Islander	Count	13	4	17
		% within Sex	.3%	.5%	.3%
	Am Indian-Alaskan	Count	9	0	9
		% within Sex	.2%	.0%	.2%
Total		Count	4914	867	5781
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2979	0	2979
Exposure		% within Sex	60.6%	.0%	51.5%
	IDU	Count	697	308	1005
		% within Sex	14.2%	35.5%	17.4%
	M-M & IDU	Count	504	0	504
		% within Sex	10.3%	.0%	8.7%
	Hemophiliac	Count	16	1	17
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	172	318	490
		% within Sex	3.5%	36.7%	8.5%
	Transfusion	Count	45	31	76
		% within Sex	.9%	3.6%	1.3%
	Not Classified	Count	483	182	665
		% within Sex	9.8%	21.0%	11.5%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	15	25	40
		% within Sex	.3%	2.9%	.7%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.2%	.1%
Total	·	Count	4914	867	5781
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	9	3048	3057
		% within Adult-Ped	22.0%	53.1%	52.9%
	African American	Count	23	1647	1670
		% within Adult-Ped	56.1%	28.7%	28.9%
	Hispanic	Count	9	1019	1028
		% within Adult-Ped	22.0%	17.8%	17.8%
	Asian-Pacific Islander	Count	0	17	17
		% within Adult-Ped	.0%	.3%	.3%
	Am Indian-Alaskan	Count	0	9	9
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	41	5740	5781
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	5	8
Diagnosis		% within Sex	.1%	1.0%	.3%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	2-4	Count	3	2	5
		% within Sex	.1%	.4%	.2%
	5-12	Count	0	3	3
		% within Sex	.0%	.6%	.1%
	13-19	Count	13	13	26
		% within Sex	.6%	2.6%	1.0%
	20-24	Count	96	47	143
		% within Sex	4.5%	9.3%	5.4%
	25-29	Count	317	89	406
		% within Sex	14.7%	17.7%	15.3%
	30-34	Count	514	104	618
		% within Sex	23.9%	20.7%	23.3%
	35-39	Count	529	110	639
		% within Sex	24.5%	21.9%	24.0%
	40-44	Count	334	60	394
		% within Sex	15.5%	11.9%	14.8%
	45-49	Count	203	34	237
		% within Sex	9.4%	6.8%	8.9%
	50-54	Count	65	17	82
		% within Sex	3.0%	3.4%	3.1%
	55-59	Count	50	14	64
		% within Sex	2.3%	2.8%	2.4%
	60-64	Count	16	1	17
		% within Sex	.7%	.2%	.6%
	65-69	Count	9	2	11
		% within Sex	.4%	.4%	.4%
	70+	Count	3	1	4
		% within Sex	.1%	.2%	.2%
Total		Count	2155	503	2658
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count	0	1	1
Age		% within Sex	.0%	.2%	.0%
	5-12	Count	6	5	11
		% within Sex	.3%	1.0%	.4%
	13-19	Count	3	6	9
		% within Sex	.1%	1.2%	.3%
	20-24	Count	16	15	31
		% within Sex	.7%	3.0%	1.2%
	25-29	Count	70	42	112
		% within Sex	3.2%	8.3%	4.2%
	30-34	Count	203	67	270
		% within Sex	9.4%	13.3%	10.2%
	35-39	Count	444	103	547
		% within Sex	20.6%	20.5%	20.6%
	40-44	Count	600	121	721
		% within Sex	27.8%	24.1%	27.1%
	45-49	Count	406	68	474
		% within Sex	18.8%	13.5%	17.8%
	50-54	Count	212	37	249
		% within Sex	9.8%	7.4%	9.4%
	55-59	Count	107	22	129
		% within Sex	5.0%	4.4%	4.9%
	60-64	Count	56	7	63
		% within Sex	2.6%	1.4%	2.4%
	65-69	Count	20	5	25
		% within Sex	.9%	1.0%	.9%
	70+	Count	12	4	16
		% within Sex	.6%	.8%	.6%
Total		Count	2155	503	2658
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1138	153	1291
		% within Sex	52.8%	30.4%	48.6%
	African American	Count	536	275	811
		% within Sex	24.9%	54.7%	30.5%
	Hispanic	Count	467	72	539
		% within Sex	21.7%	14.3%	20.3%
	Asian-Pacific Islander	Count	7	3	10
		% within Sex	.3%	.6%	.4%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.3%	.0%	.3%
Total		Count	2155	503	2658
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1234	0	1234
Exposure		% within Sex	57.3%	.0%	46.4%
	IDU	Count	283	152	435
		% within Sex	13.1%	30.2%	16.4%
	M-M & IDU	Count	238	0	238
		% within Sex	11.0%	.0%	9.0%
	Hemophiliac	Count	4	1	5
		% within Sex	.2%	.2%	.2%
	Heterosexual Contact	Count	111	197	308
		% within Sex	5.2%	39.2%	11.6%
	Transfusion	Count	9	10	19
		% within Sex	.4%	2.0%	.7%
	Not Classified	Count	269	131	400
		% within Sex	12.5%	26.0%	15.0%
	Ped Parent at Risk	Count	6	10	16
		% within Sex	.3%	2.0%	.6%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.4%	.1%
Total		Count	2155	503	2658
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	1289	1291
		% within Adult-Ped	11.8%	48.8%	48.6%
	African American	Count	11	800	811
		% within Adult-Ped	64.7%	30.3%	30.5%
	Hispanic	Count	4	535	539
		% within Adult-Ped	23.5%	20.3%	20.3%
	Asian-Pacific Islander	Count	0	10	10
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	17	2641	2658
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	x	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	12	10	22
Diagnosis		% within Sex	.4%	1.2%	.5%
	1 (12-23 mo)	Count	0	5	5
		% within Sex	.0%	.6%	.1%
	2-4	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	5-12	Count	3	5	8
		% within Sex	.1%	.6%	.2%
	13-19	Count	35	50	85
		% within Sex	1.0%	5.8%	2.0%
	20-24	Count	221	101	322
		% within Sex	6.6%	11.7%	7.7%
	25-29	Count	516	151	667
		% within Sex	15.5%	17.5%	15.9%
	30-34	Count	789	156	945
		% within Sex	23.7%	18.1%	22.5%
	35-39	Count	758	163	921
		% within Sex	22.7%	18.9%	21.9%
	40-44	Count	485	97	582
		% within Sex	14.5%	11.2%	13.9%
	45-49	Count	290	58	348
		% within Sex	8.7%	6.7%	8.3%
	50-54	Count	110	34	144
		% within Sex	3.3%	3.9%	3.4%
	55-59	Count	67	18	85
		% within Sex	2.0%	2.1%	2.0%
	60-64	Count	24	7	31
		% within Sex	.7%	.8%	.7%
	65-69	Count	13	5	18
		% within Sex	.4%	.6%	.4%
	70+	Count	5	1	6
		% within Sex	.1%	.1%	.1%
Total		Count	3335	863	4198
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	1	1	2
Age		% within Sex	.0%	.1%	.0%
	2-4	Count	2	3	5
		% within Sex	.1%	.3%	.1%
	5-12	Count	14	11	25
		% within Sex	.4%	1.3%	.6%
	13-19	Count	10	16	26
		% within Sex	.3%	1.9%	.6%
	20-24	Count	84	49	133
		% within Sex	2.5%	5.7%	3.2%
	25-29	Count	196	103	299
		% within Sex	5.9%	11.9%	7.1%
	30-34	Count	421	129	550
		% within Sex	12.6%	14.9%	13.1%
	35-39	Count	702	150	852
		% within Sex	21.0%	17.4%	20.3%
	40-44	Count	806	176	982
		% within Sex	24.2%	20.4%	23.4%
	45-49	Count	560	106	666
		% within Sex	16.8%	12.3%	15.9%
	50-54	Count	286	59	345
		% within Sex	8.6%	6.8%	8.2%
	55-59	Count	140	32	172
		% within Sex	4.2%	3.7%	4.1%
	60-64	Count	72	15	87
		% within Sex	2.2%	1.7%	2.1%
	65-69	Count	24	9	33
		% within Sex	.7%	1.0%	.8%
	70+	Count	16	4	20
		% within Sex	.5%	.5%	.5%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total		Count	3335	863	4198
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1762	256	2018
		% within Sex	52.8%	29.7%	48.1%
	African American	Count	851	471	1322
		% within Sex	25.5%	54.6%	31.5%
	Hispanic	Count	692	132	824
		% within Sex	20.7%	15.3%	19.6%
	Asian-Pacific Islander	Count	13	4	17
		% within Sex	.4%	.5%	.4%
	Am Indian-Alaskan	Count	14	0	14
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	3	0	3
		% within Sex	.1%	.0%	.1%
Total	_	Count	3335	863	4198
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

			Sex		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	1940	0	1940
		% within Sex	58.2%	.0%	46.2%
	IDU	Count	370	219	589
		% within Sex	11.1%	25.4%	14.0%
	M-M & IDU	Count	338	0	338
		% within Sex	10.1%	.0%	8.1%
	Hemophiliac	Count	5	2	7
		% within Sex	.1%	.2%	.2%
	Heterosexual Contact	Count	170	356	526
		% within Sex	5.1%	41.3%	12.5%
	Transfusion	Count	13	17	30
		% within Sex	.4%	2.0%	.7%
	Not Classified	Count	476	246	722
		% within Sex	14.3%	28.5%	17.2%
	Ped Parent at Risk	Count	20	20	40
		% within Sex	.6%	2.3%	1.0%
	Ped Other-Undet	Count	3	3	6
		% within Sex	.1%	.3%	.1%
Total		Count	3335	863	4198
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	12	2006	2018
, and the second		% within Adult-Ped	27.3%	48.3%	48.1%
	African American	Count	23	1299	1322
		% within Adult-Ped	52.3%	31.3%	31.5%
	Hispanic	Count	9	815	824
		% within Adult-Ped	20.5%	19.6%	19.6%
	Asian-Pacific Islander	Count	0	17	17
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	14	14
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.1%	.1%
Total		Count	44	4154	4198
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas